EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13732	((370/238,351,355,392,395.31,395.32) or (709/238,239,240,241,242) or (379/219)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 13:12
L2	19781	(",389,231,390,380,417").PN. or (370/238,351,355,392,395.21,395.52,238.1,395.31,395.5,395.52,400,410,469,338,214-217).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 13:22
L3	80	((MARK) near2 (GIBSON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:22
L4	43	((DAVID) near2 (STACEY)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:22
L5	119	L3 or L4	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:22
L6	1	"6882643".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/14 13:22
L7	120	L5 or L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 13:22
L8	31	L7 and ((set adj up))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:22
L9	4910	2 and ((set adj up))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:22
L10	249	2 and ((set adj up)near request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:23
L11	4910	2 and ((set adj up)adjrequest)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:23
L12	158	2 and ((set adj up)adj request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:23
L13	55	12 and @ad<"19991001"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:23
L14	14	2 and (((set adj up)adj request) near2 node	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:24

L15	4	14 and @ad<"19991001"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/14 13:24
S1	2	"20040215787".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:39
S2	4	(("5991301") or ("6408001")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:40
S3	9	("5455825" | "5471467" | "5732080" | "5748633" | "5790545" | "5809027" | "5991300" | "6009097" | "6201789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 08:42
S4	144	("4201889" | "4310727" | "4348554" | "4453247" | "4554659" | "4565903" | "4683563" | "4736364" | "4748658" | "4823338" | "4853955" | "4896319" | "4916690" | "4926416" | "4985889" | "4991204" | "4993104" | "5003584" | "5018191" | "5048081" | "5058104" | "5067123" | "5084867" | "5089954" | "5091903" | "5101404" | "5115431" | "5163057" | "5168492" | "5185743" | "5193110" | "5204857" | "5216669" | "5218602" | "5231631" | "5231633" | "5233607" | "5239539" | "5249178" | "5251255" | "5253247" | "5255266" | "5258752" | "5258979" | "5268895" | "5271010" | "5274680" | "5278889" | "5282244" | "5285441" | "5291479" | "5306318" | "5311509" | "5317562" | "5323389" | "5327421" | "5329308" | "5339318" | "5345443" | "5345445" | "5345446" | "5357510" | "5363433" | "5365524" | "5367566" | "5373504" | "5375124" | "5377186" | "5384771" | "5384840" | "5392402" | "5394393" | "5394398" | "5414701" | "5418783" | "5420857" | "5420858" | "5420916" | "5422882" | "5425090" | "5426636" | "5428607" | "5428609" | "5434852" | "5434981" | "5440563" | "5444713" | "5446738" | "5452297" | "5453981" | "5454034" | "5457684" | "5463620" | "5463621" | "5473677" | "5473679" | "5477537" | "5479401" | "5479402" | "5479495" | "5483527" | "5485455" | "5495484" | "5504742" | "5506844" | "5509010" | "5509123" | "5513178" | "5519707" | "5521910" | "5522042" | "5526414" | "5533106" | "5539698" | "5539815" | "5539816" | "5539884" | "5541918" | "5541926" | "5544152" | "5544161" | "5548580" | "5550819" | "5550914" | "5563939").PN. OR ("5566173" | "5568475" | "5570368" | "5577039" | "5579311" | "5587999" | "5592477" | "5600640" | "5600643" | "5627836" | "5629930" | "5635980" | "5636210" | "5640446" | "5673262" | "5680390" | "5703876" | "5708702" | "5710769").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 08:42
S5	4	(("5991301") or ("6408001")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 14:57
S6	0	S5 and (setup adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 14:57
S7	1	S5 and (setup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 14:58
S8	9	("5455825" | "5471467" | "5732080" | "5748633" | "5790545" | "5809027" | "5991300" | "6009097" | "6201789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 14:59

S9	144	("4201889" | "4310727" | "4348554" | "4453247" | "4554659" | "4565903" | "4683563" | "4736364" | "4748658" | "4823338" | "4853955" | "4896319" | "4916690" | "4926416" | "4985889" | "4991204" | "4993104" | "5003584" | "5018191" | "5048081" | "5058104" | "5067123" | "5084867" | "5089954" | "5091903" | "5101404" | "5115431" | "5163057" | "5168492" | "5185743" | "5193110" | "5204857" | "5216669" | "5218602" | "5231631" | "5231633" | "5233607" | "5239539" | "5249178" | "5251255" | "5253247" | "5255266" | "5258752" | "5258979" | "5268895" | "5271010" | "5274680" | "5278889" | "5282244" | "5285441" | "5291479" | "5306318" | "5311509" | "5317562" | "5323389" | "5327421" | "5329308" | "5339318" | "5345443" | "5345445" | "5345446" | "5357510" | "5363433" | "5365524" | "5367566" | "5373504" | "5375124" | "5377186" | "5384771" | "5384840" | "5392402" | "5394393" | "5394398" | "5414701" | "5418783" | "5420857" | "5420858" | "5420916" | "5422882" | "5425090" | "5426636" | "5428607" | "5428609" | "5434852" | "5434981" | "5440563" | "5444713" | "5446738" | "5452297" | "5453981" | "5454034" | "5457684" | "5463620" | "5463621" | "5473677" | "5473679" | "5477537" | "5479401" | "5479402" | "5479495" | "5483527" | "5485455" | "5495484" | "5504742" | "5506844" | "5509010" | "5509123" | "5513178" | "5519707" | "5521910" | "5522042" | "5526414" | "5533106" | "5539698" | "5539815" | "5539816" | "5539884" | "5541918" | "5541926" | "5544152" | "5544161" | "5548580" | "5550819" | "5550914" | "5563939").PN. OR ("5566173" | "5568475" | "5570368" | "5577039" | "5579311" | "5587999" | "5592477" | "5600640" | "5600643" | "5627836" | "5629930" | "5635980" | "5636210" | "5640446" | "5673262" | "5680390" | "5703876" | "5708702" | "5710769").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 14:59
S10	153	S8 S9	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 14:59
S11	8	S10 and (Setup adj message)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:04
S12	0	S10 and ((Setup adj message) same (advertiz$3 broadcast$3 multicat$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:01
S13	2	S10 and ((Setup adj message) and (advertiz$3 broadcast$3 multicat$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:02
S14	151	S10 and (two second)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:04
S15	13	S10 and (two second) adj (signal session)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:09
S16	0	S10 and (duplicat$3 adj invitation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:09
S17	0	S10 and (duplicat$3 and invitation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:09
S18	0	S10 and (invitation)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:09
S19	28	S10 and (duplicat$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:14
S20	7	S10 and (duplicat$4 two) adj (message signal (communication adj session))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:17
S21	3506	(set adj up setup) adj request	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:39
S22	1412	S21 and (response return acknowledge) adj (message signal data session)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:21
S23	5	S21 and ((response return acknowledge) adj (message signal data session)) and fork	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:27
S24	17	S21 and (response return acknowledge) adj (message signal data session)) same (communication adj (signal session data message))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:28
S25	4	S21 and (response return acknowledge) adj (message signal data session)) same (communication adj (signal session data message)) and (duplicate)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:30

S26	17	S21 and ((response return acknowledge) adj (message signal data session)) same (communication adj (signal session data message)) and (second 2nd two secondary)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:31
S27	17	S21 and ((response return acknowledge) adj (message signal data session)) same (communication adj (signal session data message)) and ((second 2nd two secondary) adj signal message session data)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:32
S28	3506	(set adj up setup) adj requests	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:43
S29	427	((set adj up setup) adj requests) same two	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:43
S30	0	(two adj (set adj up setup) adj requests)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:44
S31	0	(two adj ((set adj up) setup) adj requests)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:44
S32	9	(((set adj up) setup) adj requests) near two	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:52
S33	23613	SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:53
S34	44173	Rout$3 near3 (table path)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 15:53
S35	60853	(another different) adj2 (path rout$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:46
S36	304	S33 and S34 and S35	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:22
S37	78	((MARK) near2 (GIBSON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:32
S38	40	((DAVID) near2 (STACEY)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:31
S39	114	S37 or S38	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:32
S40	3	S39 and (setup (set adj up) set-up) adj request	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:38
S41	6	S39 and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:39
S42	10	"5504935" | "5537532" | "5832197" | "5987028" | "6144661" | "6246669" | "6377579" | "6385198" | "6385454" | "6442158").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:41
S43	14	("6678264").URPN.	USPAT	OR	ON	2007/09/18 16:43
S44	4	"5991301" | "6363319" | "6408001" | "6466985").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:46
S45	2	S44 and (another different) adj2 (path rout$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:47
S46	0	S44 and (another different) adj2 (request)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:47
S47	0	S44 and (another different) adj2 (signal)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:47
S48	0	S44 and (another different) adj2 (signal data line session request setup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:48

S49	1	S44 and (another different duplicat$4 double) adj2 (signal data line session request setup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:48
S50	296	S33 and S34 and S35 and (redundan$4 duplic$4 double second dual)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:53
S51	118	S33 and S34 and S35 and ((redundan$4 duplic$4 double second dual) adj2 (signal data session request))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 16:54
S52	3	S33 and S34 and S35 and ((redundan$4 duplic$4 double second dual) adj2 (signal data session request) same setup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:11
S53	8	S33 and S34 and ((redundan$4 duplic$4 double second dual) adj2 (signal data session request) same setup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:14
S54	1317	S33 and S34 and ((redundan$4 duplic$4 double second dual))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:15
S55	202	S33 and S34 and ((redundan$4 duplic$4 double second dual)same setup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:15
S56	40	S33 and S34 and ((redundan$4 duplic$4 double second dual)same (setup adj (signal data session request)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:23
S57	7877	S34 and S35	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:22
S58	75	S57 and ((redundan$4 duplic$4 double second dual)same (setup adj (signal data session request)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:24
S59	69	S58 not S56	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/18 17:24
S60	0	LSP with (rank$3 trunk$3 scor$4 motorway) with MPLS with rout$3 with (invite adj (request signal message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:18
S61	6	LSP and (rank$3 trunk$3 scor$4 motorway) and MPLS with rout$3 and (invite adj (request signal message))and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:24
S62	12	LSP and MPLS with rout$3 and (invite adj (request signal message))and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:30
S63	6	S62 not S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:25

S64	112	MPLS and rout$3 and (invite adj (request signal message))and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:30
S65	100	S64 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:35
S66	0	(communication adj session) same advertiz$3 same rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:39
S67	0	session same advertiz$3 same rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:39
S68	0	session with advertiz$3 with rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:39
S69	52	session and advertiz$3 and rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:39
S70	0	SIP and advertiz$3 and rout$3 and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:40
S71	483	SIP and rout$3 and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:44

S73	397	S71 and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:40
S74	31	S71 and setup adj request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:41
S75	19	S74 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:41
S76	86	SIP with MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:44
S77	30	S76 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:55
S78	34	"6408001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 07:56
S79	4	(("6408001") or ("6735190") or ("6408001")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 07:56
S80	2	S79 and mpls and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:12

S81	2	S80 and routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:12
S82	0	S80 and routing adj table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:12
S83	0	S80 and different adj3 routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:12
S84	2	S80 and different same rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 12:48
S85	0	S80 and different near rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:13
S86	0	S80 and different with rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 08:13
S87	2	("6526056").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 15:34
S88	12788	((370/238,351,355,392,395.31,395.32) or (709/238,239,240,241,242) or (379/219)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 15:36

S89	7189	S88 and (routing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:58
S90	2431	S88 and (routing adj table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:37
S91	22	S88 and (routing adj table) same (setup adj request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:38
S92	86	S88 and (routing adj table) and (setup adj request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:38
S93	213	S88 and (routing) and (setup adj request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:39
S94	97	S88 and (routing) and (setup adj request) and session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:39
S95	28	S88 and (routing) and (setup adj request) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:41
S96	90	S88 and (routing) and (setup with (request signal message)) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:50

S97	22	S96 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:01
S98	20	S88 and (routing) and (setup with (request signal message)) same session and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:47
S99	72	S88 and (MPLS and SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:12
S100	4	S99 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:15
S101	72	S88 and ((multiprotocol adj label adj switch$3) MPLS) and (SIP (Session adj Initiation adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:14
S102	58	S88 and ((multiprotocol adj label adj switch$3) MPLS) and (SIP (Session adj Initiation adj protocol)) and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:59
S103	3	S102 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:24
S104	9	(US-6408001-$ or US-5991301-$ or US-5258979-$ or US-6766168-$ or US-6466985-$ or US-6363319-$ or US-6882643-$ or US-6628617-$ or US-6272132-$).did.	USPAT	OR	ON	2007/09/19 16:59
S105	3	S104 and ((multiprotocol adj label adj switch$3) MPLS) and (SIP (Session adj Initiation adj protocol)) and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:13

S106	1	S104 and (setup adj request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:14
S107	9	S104 and (request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:22
S108	2	S104 and request with session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:15
S109	3	S104 and request with communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:15
S110	4	S104 and (SIP (Session adj Initiation adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:23
S111	2	S104 and ((Session adj Initiation adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:23
S112	8137	((Session adj Initiation adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:24
S113	54	((Session adj Initiation adj protocol)) with ((multiprotocol adj label adj switch$3) MPLS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:25

S114	0	S113 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:18
S115	1044	(routing) and (setup with (request signal message)) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:31
S116	46	S115 and (SIP (Session adj Initiation adj protocol)) and ((multiprotocol adj label adj switch$3) MPLS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:27
S117	2	S116 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:26
S118	5	S116 and @ad<"20001001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:26
S119	566	(routing) and (setup with (request signal message session)) and (label with switch$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:17
S120	1	(communication communicat$3) with (session message signal) with (setup initial set-up (set adj up)) with (request) with (different plurality number) with (path line rout$3) with (selected chosen determined) with (stor$3 sav$3 put)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:15
S121	3	(session message signal) with (setup initial set-up (set adj up)) with (request) with (different plurality number) with (path line rout$3) with (selected chosen determined) with (stor$3 sav$3 put)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:15

S122	424	(routing) and (setup with (request signal message session)) and (label with switch$3) and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:18
S123	110	(routing) and (setup with (request signal message session)) and (label with switch$3) and MPLS and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:24
S124	3	S123 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:20
S125	37	S123 and @ad<"20011001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:21
S126	34	S123 not S124 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:24
S127	107	S123 not S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:25
S128	73	S127 not S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:25
S129	107	S127 not S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 18:25
S130	10	(US-6408001-$ or US-5991301-$ or US-5258979-$ or US-6466985-$ or US-6363319-$ or US-6882643-$ or US-6628617-$ or US-6272132-$ or US-6282197-$ or US-7260060-$).did.	USPAT	OR	ON	2007/09/19 18:29

S131	42	"20020150054" | "20030007622" | "5115429" | "5526353" | "5633861" | "5793976" | "5828666" | "5870561" | "5881051" | "5883891" | "5889774" | "5907610" | "5953322" | "6046678" | "6069890" | "6084955" | "6163807" | "6215774" | "6222824" | "6222829" | "6262974" | "6266323" | "6356545" | "6373835" | "6404738" | "6426942" | "6426955" | "6430289" | "6442141" | "6463044" | "6477143" | "6487170" | "6501736" | "6515964" | "6515973" | "6519249" | "6529499" | "6538993" | "6556565" | "6657957" | "6798786" | "6904017").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:30
S132	4	S131 and routing and label	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:31
S133	0	S131 and MPLA	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:31
S134	2	S131 and MPLs	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:33
S135	2	S131 and setup with session	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:33
S136	9	"6205488" | "6275493" | "6295296" | "6331978" | "6336129" | "6339595" | "6385170" | "6408001" | "6507577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:39
S137	9	S136 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:39
S138	1	S136 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:40
S139	3	"5920705" | "5963555" | "6084855").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:40
S140	0	S139 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:40
S141	9	"5455825" | "5471467" | "5732080" | "5748633" | "5790545" | "5809027" | "5991300" | "6009097" | "6201789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:40
S142	0	S141 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:42
S143	1	S141 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:41
S144	2	"5870564" | "6016306").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:41
S145	0	S144 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:42
S146	0	S144 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:42
S147	8	"5067123" | "5303236" | "5315586" | "5677906" | "5748632" | "5889779" | "5894471" | "5953338").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:42
S148	0	S147 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:43
S149	0	S147 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:42
S150	19	"4821259" | "5418779" | "5442636" | "5455701" | "5623483" | "5859835" | "6038230" | "6122274" | "6144662").PN. OR ("6272132").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:43
S151	2	S150 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:46

S152	261	"4201889" | "4310727" | "4348554" | "4453247" | "4554659" | "4565903" | "4683563" | "4736364" | "4748658" | "4823338" | "4853955" | "4896319" | "4916690" | "4926416" | "4985889" | "4991204" | "4993104" | "5003584" | "5018191" | "5048081" | "5058104" | "5067123" | "5084867" | "5089954" | "5091903" | "5101404" | "5115431" | "5163057" | "5168492" | "5185743" | "5193110" | "5204857" | "5216669" | "5218602" | "5231631" | "5231633" | "5233607" | "5239539" | "5249178" | "5251255" | "5253247" | "5255266" | "5258752" | "5258979" | "5268895" | "5271010" | "5274680" | "5278889" | "5282244" | "5285441" | "5291479" | "5306318" | "5311509" | "5317562" | "5323389" | "5327421" | "5329308" | "5339318" | "5345443" | "5345445" | "5345446" | "5357510" | "5363433" | "5365524" | "5367566" | "5373504" | "5375124" | "5377186" | "5384771" | "5384840" | "5392402" | "5394393" | "5394398" | "5414701" | "5418783" | "5420857" | "5420858" | "5420916" | "5422882" | "5425090" | "5426636" | "5428607" | "5428609" | "5434852" | "5434981" | "5440563" | "5444713" | "5446738" | "5452297" | "5453981" | "5454034" | "5457684" | "5463620" | "5463621" | "5473677" | "5473679" | "5477537" | "5479401" | "5479402" | "5479495" | "5483527" | "5485455" | "5495484" | "5504742" | "5506844" | "5509010" | "5509123" | "5513178" | "5519707" | "5521910" | "5522042" | "5526414" | "5533106" | "5539698" | "5539815" | "5539816" | "5539884" | "5541918" | "5541926" | "5544152" | "5544161" | "5548580" | "5550819" | "5550914" | "5563939").PN. OR ("5566173" | "5568475" | "5570368" | "5577039" | "5579311" | "5587999" | "5592477" | "5600640" | "5600643" | "5627836" | "5629930" | "5635980" | "5636210" | "5640446" | "5673262" | "5680390" | "5703876" | "5708702" | "5710769").PN. OR ("5991301").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:46
S153	3	S152 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:47
S154	140	"4740891" | "4956839" | "5029164").PN. OR ("5258979").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:47
S155	0	S154 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:48
S156	0	S154 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:47
S157	42	"20020150054" | "20030007622" | "5115429" | "5526353" | "5633861" | "5793976" | "5828666" | "5870561" | "5881051" | "5883891" | "5889774" | "5907610" | "5953322" | "6046678" | "6069890" | "6084955" | "6163807" | "6215774" | "6222824" | "6222829" | "6262974" | "6266323" | "6356545" | "6373835" | "6404738" | "6426942" | "6426955" | "6430289" | "6442141" | "6463044" | "6477143" | "6487170" | "6501736" | "6515964" | "6515973" | "6519249" | "6529499" | "6538993" | "6556565" | "6657957" | "6798786" | "6904017").PN. OR ("7260060").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:47
S158	1	S157 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:49
S159	15	"6205488" | "6275493" | "6295296" | "6331978" | "6336129" | "6339595" | "6385170" | "6408001" | "6507577").PN. OR ("6882643").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:49
S160	1	S159 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:49
S161	41	"5455825" | "5471467" | "5732080" | "5748633" | "5790545" | "5809027" | "5991300" | "6009097" | "6201789").PN. OR ("6408001").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:49
S162	6	S161 and MPLS and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 18:49
S163	28100	((370/351,254,431,352,389,395,825) or (709/223,226,228,237,239,241,238,272,277,273,274,275,276) or (711/221)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:41

S164	13967	(370/351,254,431,352,389,395,825).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:41
S165	14667	(709/223,226,228,237,239,241,238,272,277,273,274,275,276).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:41
S166	242	(711/221).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 07:41
S167	0	S164 and S165 and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 07:41
S168	756	S164 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 07:41
S169	102	S168 and (rout$3) and setup and (request demand) and (response answer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 07:49
S170	12	S169 and label and session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 07:54
S171	90	S169 not S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:03

S172	2	((quality adj service) QoS) and (fork$3 adj communicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:04
S173	50	(fork$3 adj communicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:11
S174	175	(fork$3) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:12
S175	167	S174 not S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:28
S176	0	Invite with forking with request with Qos	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:29
S177	5	Invite with forking with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:30
S178	8	Invite with fork$4 with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:30
S179	3	S178 not S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:30
S180	44251	Rout$3 near3 (table path)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:06
S181	75935	(another different fail$3) adj2 (path rout$3 link)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:07

			US-PGPUB;	OR	ON	2007/09/20
S182	10791	S180 and S181	USPAT; USOCR	OR	ON	2007/09/20 09:07
S183	427	S182 and SIP	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:08
S184	95	S183 and MPLS	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:31
S185	263	(third adj2 setup adj2 message) (third near3 SIP)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 14:25
S186	100	(("20020049059" or ("20030007486" or "20030009561" or "20030137971" or "20030149775" or "20030233471" or "20040073690" or ("20040114612" or "20040215787" or "20040228279" or "20050041578" or "20050041617" or "20050058068" or "20050078642" or "20050088977" or "20050213513" or "20060062177" or "20060092945" or "20070008882" or "20070025337" or "20070026847" or "20070027997" or "20070094412" or "20070101414" or "20070133403" or "20070192508" or "4466060" or "4893307" or "4995035" or "5001628" or "5021949" or "5265091" or "5278834" or "5440547" or "5600632" or "5638448" or "5652908" or "5764915" or "5774669" or "5781801" or "5889954" or "6072797" or "6075769" or "6122276" or "6185187" or "6292830" or "6311288" or "6678264" or "6680943" or "7068655")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 11:55
S187	18	US-20040022237-$).did. or (US-6882643-$ or US-6628617-$ or US-6408001-$ or US-6272132-$ or US-6466985-$ or US-6363319-$ or US-5991301-$ or US-5258979-$ or US-7260060-$ or US-6282197-$ or US-6529499-$ or US-6614781-$ or US-6311288-$ or US-6075769-$ or US-6072797-$ or US-5440547-$).did. or (KR-2004073643-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:23
S188	10	S187 and MPLS	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:24
S189	7	S187 and MPLS and SIP	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:24
S190	11	S187 and label	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:24
S191	5	S187 and (setup adj (message signal session)) and endpoint and rout$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:31
S192	11	S185 and (setup adj (message signal session)) and endpoint and rout$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 12:31
S193	1	"20040215787"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 16:18
S194	10	(("6408001" or "5991301" or "6075769" or "6529499" or "6735190")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:19
S195	0	S194 and (setup adj (session request response)) same path same (node rout$3) same endpoint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:21

S196	0	S194 and (setup adj (session request response)) same path same (node rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:21
S197	0	S194 and (setup adj (session request response)) same path same (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:21
S198	0	S194 and (setup adj (session request response)) and path and (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:22
S199	0	S194 and (setup same (session request response)) and path and (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:22
S200	1	S194 and setup and (session request response) and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:23
S201	0	S194 and setup and node and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:23
S202	1	S194 and setup and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:23
S203	6	S194 and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:24

S204	3	S194 and path and nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:24
S205	3	S194 and path and nodes and stor$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:26
S206	3	S194 and path and nodes and stor$4 and (setup (set adj up) set-up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:35
S207	5	S194 and (setup (set adj up) set-up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:36
S208	2	S207 not S206	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:39
S209	1	S208 and (response respond$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:56
S210	4	(("5991301") or ("6075769")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 16:57
S211	1	S210 and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:59

S212	0	S210 and label adj switch$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:59
S213	5	S194 and label adj switch$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:59
S214	0	S194 and (label adj switch$3) and respon$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 16:59
S215	5	S194 and (label adj switch$3) and rout$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:17
S216	40269	(communication connection) adj (session request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:18
S217	14305	(communication connection) adj (session request) and (setup (set adj up) set-up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:19
S218	2209	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:19
S219	1618	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:20

S220	1229	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:22
S221	326	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:23
S222	326	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:24
S223	308	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:24
S224	309	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:25
S225	8	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply) and (selected adj path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:28
S226	37	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply) and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:33
S227	4	S226 and S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:33

S228	289	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply) and management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:38
S229	14	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply) and (management adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:37
S230	18	(communication connection) adj (session request) and (setup (set adj up) set-up) and endpoint and path and node and (label label-switch$3 (label adj switch$3)) and (response reply) and management and rank	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 18:41
S231	9	("6205488" | "6275493" | "6295296" | "6331978" | "6336129" | "6339595" | "6385170" | "6408001" | "6507577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:48
S232	9	S231 and label	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:49
S233	5	S231 and label$3 adj switch$2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:51
S234	157533	communication adj network	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:51
S235	43774	(communication adj network) and (setup (set adj up) set-up)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:51
S236	2	(communication adj network) and (setup (set adj up) set-up) and ((management and abstract and physical) adj node)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:52
S237	32932	(communication adj network) and (setup (set adj up) set-up) and response	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:53
S238	95255	(communication adj network) and (setup (set adj up) set-up) and response rank	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:53
S239	2656	(communication adj network) and (setup (set adj up) set-up) and response and rank$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:53
S240	21	(communication adj network) and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:01
S241	10	("5504935" | "5537532" | "5832197" | "5987028" | "6144661" | "6246669" | "6377579" | "6385198" | "6385454" | "6442158").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:56
S242	0	S241 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:57
S243	0	S241 and response and rank$3 and (label$3 adj switch$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 18:58
S244	4	"5991301" | "6363319" | "6408001" | "6466985").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:00
S245	19	(US-20040022237-$).did. or. (US-6882643-$ or US-6628617-$ or US-6408001-$ or US-6272132-$ or US-6466985-$ or US-6363319-$ or US-5991301-$ or US-5258979-$ or US-7260060-$ or US-6282197-$ or US-6529499-$ or US-6614781-$ or US-6311288-$ or US-6075769-$ or US-6072797-$ or US-5440547-$ or US-6336129-$).did. or. (KR-2004073643-$).did.	US-PGPUB; USPAT; DERWENT	OR		2007/09/20 19:00

S246	2	S245 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:02
S247	9	("6205488" | "6275493" | "6295296" | "6331978" | "6336129" | "6339595" | "6385170" | "6408001" | "6507577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:01
S248	0	S247 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:01
S249	0	S245 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)and quality adj control	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:02
S250	2	S245 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)and quality	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:03
S251	2	S245 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)and quality and node	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:10
S252	181	("4100377" | "4238851" | "4569041" | "4608685" | "4630260" | "4630262" | "4661947" | "4674082" | "4679190" | "4679191" | "4707831" | "4715026" | "4723238" | "4757497" | "4761779" | "4771425" | "4815071" | "4819228" | "4862451" | "4866704" | "4872159" | "4872160" | "4885739" | "4903261" | "4926416" | "4932022" | "4933931" | "4953158" | "4958341" | "4962497" | "4969184" | "4970721" | "4975695" | "4996685" | "5008929" | "5014266" | "5018136" | "5020058" | "5022071" | "5048081" | "5051983" | "5093827" | "5115431" | "5150357" | "5157662" | "5197067" | "5208806" | "5218602" | "5231633" | "5241588" | "5247571" | "5268900" | "5274635" | "5291489" | "5301189" | "5305308" | "5327428" | "5341374" | "5351276" | "5351286" | "5353283" | "5359598" | "5365521" | "5379293" | "5381405" | "5381466" | "5383183" | "5384840" | "5390184" | "5396491" | "5420858" | "5422882" | "5423003" | "5426636" | "5428607" | "5428616" | "5430719" | "5434913" | "5436898" | "5438614" | "5444709" | "5452289" | "5453986" | "5457684" | "5471470" | "5479411" | "5485457" | "5521914" | "5526353" | "5537403" | "5541917" | "5544161" | "5544163" | "5544164" | "5544168" | "5553063" | "5568475" | "5570355" | "5572583" | "5577038" | "5577041" | "5579308" | "5590181" | "5592477" | "5592538" | "5594732" | "5600643" | "5600649" | "5602991" | "5604737" | "5608786" | "5613069" | "5621727" | "5625677" | "5631897" | "5644046" | "5650999" | "5654957" | "5659541" | "5659542" | "5680437" | "5684799" | "5689553" | "5692126" | "5701301").PN. OR ("5706286" | "5710769" | "5712903" | "5712908" | "5724412" | "5729544" | "5732078" | "5737320" | "5737331" | "5737333" | "5740164" | "5740231" | "5742596" | "5751706" | "5751968" | "5754641" | "5764628" | "5764736" | "5764750" | "5764756" | "5777991" | "5790538" | "5793762" | "5793771" | "5799154" | "5805587" | "5805585" | "5809022" | "5809128" | "5812534" | "5815505" | "5818912" | "5825771" | "5828666" | "5838665" | "5867494" | "5867495" | "5881060" | "5881131" | "5889774" | "5915008" | "5922047" | "5933490" | "5954799" | "5963551" | "5991291" | "5999525" | "6009469" | "6026083" | "6069890" | "6134235" | "6278707" | "6324183" | "6327258" | "6339594" | "H001641").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:07
S253	0	S252 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3) and quality and node	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:10
S254	0	S252 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)and quality	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:10
S255	11	("4914650" | "5434852" | "5463620" | "5732078" | "5751712" | "6064653" | "6078582" | "6094431" | "6097722" | "6205211" | "6292478").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:10
S256	0	"94." and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3)and quality	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:10
S257	0	S255 and (setup (set adj up) set-up) and response and rank$3 and (label$3 adj switch$3) and quality	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:11
S258	34	"6408001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/23 10:03

S259	2	("6408001").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/23 10:05
S260	2	("6735190").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/23 10:04
S261	19	(US-20040022237-$).did. or (US-6882643-$ or US-6336129-$ or US-6614781-$ or US-7260060-$ or US-6311288-$ or US-6075769-$ or US-6072797-$ or US-5440547-$ or US-6408001-$ or US-6363319-$ or US-6282197-$ or US-6272132-$ or US-5991301-$ or US-5258979-$ or US-6628617-$ or US-6529499-$ or US-6466985-$).did. or (KR-2004073643-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:08
S262	7	S261 and tear	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:08
S263	13	S261 and establishing	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:08
S264	1	S261 and establishing adj path	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:09
S265	1600	establishing adj path	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:09
S266	2773	(set-up (set adj up) setup) with tear	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:29
S267	0	(set-up (set adj up) setup) with tear with (200ok ("200" adj ok))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:12
S268	3539	(set-up (set adj up) setup) same tear	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:12
S269	9	(set-up (set adj up) setup) same tear same (200ok ("200" adj ok))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:13
S270	383	(set-up (set adj up) setup) same (200ok ("200" adj ok))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:13
S271	0	(set-up (set adj up) setup) same (200ok ("200" adj ok)) same (different adj path)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:14
S272	60	(set-up (set adj up) setup) same (200ok ("200" adj ok)) same (path)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:18

S273	15945	(communication adj session)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:18
S274	653	(communication adj session) same endpoint	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:18
S275	0	(communication adj session) same endpoint same advertiz$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:19
S276	204	advertiz$3 with (information message signal info)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:29
S277	15808	(set-up (set adj up) setup) with path	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:30
S278	4066	(set-up (set adj up) setup) with path with (node terminal router device equipment)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:34
S279	76	(set-up (set adj up) setup) with path with (node terminal router device equipment) with response with request	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:40
S280	34	(set-up (set adj up) setup) with path with (node terminal router device equipment) with response with request and label $3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:41
S281	20	(US-20040022237-$).did. or (US-6882643-$ or US-6336129-$ or US-6614781-$ or US-7260060-$ or US-6311288-$ or US-6075769-$ or US-6072797-$ or US-5440547-$ or US-6408001-$ or US-6363319-$ or US-6282197-$ or US-6272132-$ or US-5991301-$ or US-5258979-$ or US-6628617-$ or US-6529499-$ or US-6466985-$ or US-6529958-$).did. or (KR-2004073643-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:49
S282	7	S281 and (advertiz$3 broadcast$3 announc$3 inquir$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:54
S283	2	S281 and (advertiz$3 broadcast$3 announc$3 inquir$3) with (routing adj table)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:58
S284	601	advertiz$3 broadcast$3 announc$3 inquir$3) with (routing adj table)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 10:58
S285	59	advertiz$3 broadcast$3 announc$3 inquir$3) adj (routing adj table)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 11:04
S286	627	(routing adj table) with (setup set-up (set adj up))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 11:04
S287	31	(routing adj table) with ((setup set-up (set adj up)) adj request)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 11:11
S288	15	((setup set-up (set adj up)) adj request) with (label adj switching)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/23 11:13

S289	1	"6735190".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:44
S290	11805	(node terminal device equipment router end-point (end adj point)) with (multiple near4 (path link tunnel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:27
S291	2878	((node terminal device equipment router end-point (end adj point)) with (multiple near4 (path link tunnel))) and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:28
S292	1	((node terminal device equipment router end-point (end adj point)) with (multiple near4 (path link tunnel)) with (setup adj request)) and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:31
S293	1	((node terminal device equipment router end-point (end adj point)) with (multiple near4 (path link tunnel)) with ((setup set-up (set adj up)) adj request)) and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:32
S294	1	((node terminal device equipment router end-point (end adj point)) with (multiple near4 (path link tunnel)) same ((setup set-up (set adj up)) adj request)) and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:33
S295	10	"1089517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:00
S296	2	"00308280"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:10

S297	0	?EP1089	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:14
S298	1	EP1089	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:15
S299	0	EP1088727	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:15
S300	11	"1088727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 11:16
S301	2012	(advertis$3 announc$3 annunciat$3 broadcast$3 send$3) with ((multi multiple plurality number numerous) adj (path link tunnel route))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 13:44
S302	2	(advertis$3 announc$3 annunciat$3 broadcast$3 send$3) with ((multi multiple plurality number numerous) adj (path link tunnel route)) same (node and (end adj point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 13:47
S303	742	(advertis$3 announc$3 annunciat$3 broadcast$3 send$3) with ((multi multiple plurality number numerous) adj (path link tunnel route)) same (node (end adj point) terminal router station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 13:51
S304	191	S303 and @ad<"19991001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 13:51

S305	1	"5991301".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 14:11
S306	1	"6408001".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 14:12
S307	3	(("6118791" or "5745694" or "6526056")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 14:14
S308	2	"20040215787"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 14:49
S309	2546	node with (end adj point)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:26
S310	4611	(node terminal) with (end adj point)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:27
S311	12	(node terminal) with (end adj point) with ((multi multiple) adj (path link))	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:32
S312	4	((node terminal) with (end adj point) with ((multi multiple) adj (path link)))and @ad<"20001001"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:34
S313	16	("5477531" | "5634009" | "5648965" | "5812528" | "5812529" | "5838919" | "5881237" | "6006268" | "6115751" | "6327620" | "6363053" | "6397359" | "6618389" | "6622157" | "6700891" | "6738349").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 08:39
S314	9	((node terminal router) with (end adj point) same ((multi multiple) adj (path link)))and @ad<"20001001"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:41
S315	5	S314 not S312	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:42
S316	35	((node terminal router) with (end adj point) with (path link) same ((multi multiple)))and @ad<"20001001"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:43
S317	35	S316 not S313	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 08:44
S318	235	((node terminal router) with (end adj point) with (path link) and ((multi multiple)))and @ad<"20001001"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 09:02

S320	200	S318 not S316	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 09:03
S326	1	"6314093").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:52
S327	3	"5754543"	"5881243"	"6151304").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 09:52
S328	1	S326 and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:53
S329	0	S326 and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:55
S330	1	"6735190").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:47
S331	0	S330 and request with (peer node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:47
S332	0	S330 and request with (peer node terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:47
S333	3742	(set adj up) near2 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:34
S334	271	((set adj up) near2 request) with node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:34

S335	723	((set adj up) near2 request) with (node terminal router)	US-PGPUB; USPAT; USOCR, FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:35
S336	0	((set adj up) near2 request) with (node terminal router) with endpoint	US-PGPUB; USPAT; USOCR, FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:35
S337	88	((set adj up) near2 request) with (node router) with ((end adj point) gateway terminal user phone device)	US-PGPUB; USPAT; USOCR, FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:36
S338	29	(((set adj up) near2 request) with (node router) with ((end adj point) gateway terminal user phone device))and @ad< "20001001"	US-PGPUB; USPAT; USOCR, FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:37
S339	14	((node terminal) with (end adj point) with tunnel)and @ad< "20001001"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/13 12:01
S340	80	((MARK) near2 (GIBSON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:14
S341	43	((DAVID) near2 (STACEY)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:14
S342	119	S340 or S341	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:14
S343	1	S342 and (setup adj request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:15
S344	1	S342 and (setup near2 request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:15
S345	4	S342 and (set-up near2 request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:15
S346	5	S342 and ((set adj up) near2 request)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:17
S347	30	S342 and ((set adj up))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:17
S348	25	S347 not S346	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 14:17
S349	119	S340 or S341	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:29
S350	0	S349.clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:29

S351	0	((set adj up) and request and reserv$4 and bandwidth and permanent and response).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:35
S352	0	((setup ste-up) and request and reserv$4 and bandwidth and permanent and response).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:35
S353	0	((setup ste-up) and request and reserv$4 and bandwidth and permanent).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:36
S354	0	((setup set-up) and request and reserv$4 and bandwidth and permanent).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:36
S355	0	((setup set-up) and request and reserv$3 and bandwidth and permanent).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:36
S356	3369	((setup set-up) and request).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:37
S357	205	((setup set-up) and request and reserv$3).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:37
S358	37	((setup set-up) and request and reserv$3 and bandwidth).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:37
S359	0	S358 and S342	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:37
S360	24	setup and request and reserv$3 and bandwidth).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:38
S361	0	S360 and S342	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:38
S362	18	setup and response and reserv$3 and bandwidth).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:39
S363	0	S362 and S342	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 15:39
S364	37	((setup set-up) and request and reserv$3 and bandwidth).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 15:40
S365	20	((setup set-up) and request and reserv$3 and bandwidth).clm.	US-PGPUB	OR	ON	2008/03/13 15:41
S366	0	S365 and S342	US-PGPUB	OR	ON	2008/03/13 15:41
S367	1	"20040215787"	US-PGPUB	OR	ON	2008/03/13 15:44
S368	1	S367 and (computer adj program)	US-PGPUB	OR	ON	2008/03/13 15:45
S369	1	"6882643".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 16:10

S370	120	S342 or S369		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 16:11
S371	31	S370 and ((set adj up))		US-PGPUB; USPAT; USOCR	OR	ON	2008/03/13 16:11

3/14/2008 2:40:03 PM
C:\ Documents and Settings\ nmahmoudzadeh\ My Documents\ EAST\ Workspaces\ 10825541_20040215787.wsp